
COLOR MARK
PROFESSIONAL MARKING

PROFESSIONAL MARKING SPRAYS







www.european-aerosols.com



QUALITY
with tradition

The company European Aerosols can look back on a long history, stretching back to 1946. It was in this year, in Switzerland, that company founder Kurt Vogelsang introduced the spray can to the European market, laying the foundations for a continuous, long-lasting success story. Today, after more than seven decades of existence, what was once a tiny operation has become Europe's number one for spray paint and touch-up pens, with four manufacturing sites and 9 subsidiary companies.

The high quality standards are upheld by certified production processes designed in accordance with DIN EN ISO 9001, 14001 and 50001. In the company's At the plants in Haßmersheim, Schwerte, Barcelona and in the Netherlands, regular investment in modernisation of the systems, qualified training sessions for employees and user-orientated production concepts constitute the basis for strong growth.



CONTENTS

COLORMARK marking spray 4

COLORMARK icons 5

MTC Marking Twist Cap 6

Advantages of the Marking Twist Cap 7

HOW TO: Tips for marking 8

COLORMARK Spotmarker 9

SPOTMARKER FLUO & NON-FLUO 11/13
Professional wall and floor marking

SPRAYTOOL 15
The tool for construction sites

ALLROUNDMARKER FLUO 12–13
Marking spray with writing spray head and 360° valve

ECOMARKER 19
Environmentally friendly marking spray for temporary markings

HOW TO: Not all lines are created equal 20

COLORMARK Linemarker 23

LINEMARKER, SEALING VARNISH 23
Line and surface marking for universal use.

FLOOR MARKING PAINT 25
Floor marking paint for painting, rolling or airless spraying

2K LINEMARKER 27
Special marking spray for long-lasting markings

COLORMARK ACCESSORIES 29









COLORMARK
Marking spray



For many years now, the high-quality marking concept COLORMARK has been providing sprays to meet the most challenging requirements and a range of application areas. Whether for construction site, road or event markings – COLORMARK has the right product for your desired purpose.

And simplified icons on the label help professional users quickly identify what they need. The most important characteristics of the respective marking sprays are therefore available at a glance.

What's more, a colour-coding scheme ensures the various marking sprays, such as Spotmarker, Linemarker, Ecomarker, Spraytool and Allroundmarker, are easier to differentiate from one another.

EXPLANATION OF ICONS



TOP COVERAGE

Coverage for a can of COLORMARK Allroundmarker, depending on spraying distance and coating thickness.



TOP COVERAGE

Coverage for a can of COLORMARK Spotmarker, depending on spraying distance and coating thickness.



TOP COVERAGE

Coverage for a can of COLORMARK Ecomarker, depending on spraying distance and coating thickness.



SPEEDLINER-COMPATIBLE

Coverage for a can of COLORMARK Linemarker in the Speedliner marking cart, depending on spraying distance and coating thickness.



SELF-CLEANING

Venting of the marking spray after use not necessary. 100% guarantee spray valve empties.



EASY TOUCH SYSTEM

User-friendly handling thanks to the patented one-handed safety cap with lockable spray trigger.



360° APPLICATION

The 360° valve on the COLORMARK Allroundmarker enables all-around markings in all positions and directions.



TOP LUMINOSITY

The fluorescent colours are intensely luminous due to the specially selected, high-dose luminous pigments.



TOP COVERING POWER

Highest coverage power of the non-fluorescent colours.



ECOLOGICAL

Especially environmentally friendly chalk-based marking spray containing ingredients not harmful to plants.



LIGHT AND WEATHER-RESISTANT

Especially durable, wear-resistant special marking spray, for long-lasting safety markings.



CLEAN EDGES

The Linemarker's valve and spraying system guarantees clean, sharp edges when marking, with minimum spray mist.



EXTREMELY QUICK DRYING

Extremely quick drying time, fully resilient after 24 hours.



FOR INDOOR AND OUTDOOR USE

Suitable for indoor and outdoor use.



VERY HIGH RESILIENCE

For markings which demand the very highest levels of resilience.


NEW
MARKING
CAP
with practical twist lock
OPEN
=
Spray
CLOSE
=
No Spray

THE MTC IS HERE!

Whether spot marker fluo or non-fluo, ecomarker or spray tool - they are all available with the new **MARKING TWIST CAP**. Simply twist it and start spraying.

Advantages of the Marking Twist Cap:

- clean, precise and at the same time rich spray pattern
- optimised product features for up-side-down application
- less spray mist and improved edge definition of the spray pattern
- no dripping and no coloured fingers when spraying
- very robust and extremely stable design
- safe application thanks to clearly separated OPEN-CLOSE function setting
- Fatigue-free spraying even for longer marking jobs
- transport safety due to the audible click of the MTC
- wide trigger button also suitable for use with work gloves
- ergonomic and attractive design
- coloured top cap shows the colour of the content
- for the best possible recyclability, the cap is made of recyclable plastic and can be easily separated from the can after emptying
- compatibility of the Marking Twist-Cap with all standard spot marking tools available on the market

The following products are equipped with MTC:

- ***Spotmarker Fluo***
- ***Spotmarker Non Fluo***
- ***Ecomarker***
- ***Spraytool***

HOW TO – **Tips for marking**

General

The surface to be marked must be clean. The substrate can be damp, but not wet, and unevenness affects the appearance of the marking. To ensure clean-edged results, we recommend masking the area to be marked.

After applying a quick first pass to serve as a base coat, apply a second and possibly third coat, to slowly build up to the desired coating thickness.

What must you bear in mind?

The process of applying markings where people's safety is a factor must always be carried out in accordance with regulations on the prevention of accidents, occupational safety and transport.

Different substrates

Concrete: Waiting time of around four to six weeks before applying markings to new concrete floors.*
Tar, asphalt: Waiting time about four to six weeks before applying markings to new asphalt.*
Synthetic floors (for example warehouses, sports halls, workshops): Due to the large number of possible materials (plastic, varnish, PVC), incompatibilities can result. Before applying the markings, spray a test area in an inconspicuous place.

* All details are approximate values, and apply to the period until marking works are possible.

Construction site markings

The Spotmarker and Allroundmarker have been designed for use on various substrates. They achieve a good bond to asphalt, concrete, brickwork, plaster, earth, gravel and many other substrates (including moist substrates).

Line marking

The Linemarker products are especially suitable for marking parking spaces, workshops, warehouses, open spaces and industrial facilities, but also playgrounds and sports grounds.

Coverage

Spotmarker:	200 to 250 m
Spraytool:	up to 200 m
Allroundmarker:	up to 400 m
Ecomarker:	500 ml up to 260 m, 750 ml up to 390 m
Linemarker:	500 ml up to 40 m (spray width 10 cm), 750 ml up to 60 m (spray width 10 cm)
2K Linemarker:	up to 30 m (spray width 10 cm)

Quality and development

Not without reason is the European Aerosols Group Europe's number one for spray paints and touch-up pens. Our high quality standards are guaranteed by certified production processes designed in accordance with DIN EN ISO 9001, 14001 and 50001, securing for our customers consistent product benefits.
Continuous product improvements, orientated to environmental and user requirements, are reflected in the company's success.

SPOTMARKER

Knowhow for a wide range for markings




COLOR MARK
DIRECTION
180°
VISIBILITY
up to
12
months
SPOTMARKER
FLUO
100% emptying guarantee
100% Leersprühgarantie
Utilisation complète garantie à 100%
Nebulizzazione fino al completo esaurimento
ga rantita al 100%
TOP OCC-LUMINANCE
TWIST CAP
EASY TWIST CAP
200-250m
TOP PRODUCTIVITY

SPOTMARKER
FLUO

Very highest visibility levels, for greater safety

The Fluo Spotmarker's ideal usage conditions are anywhere where increased visibility is required, even under the most challenging working conditions. Due to the increased proportion of fluorescent paint components, the sprays are easily noticed and are irreplaceable for structural and civil engineering works and road construction, as well as surveying works carried out by municipalities or industry.

Characteristics

- Professional, precise wall and floor markings thanks to special .special up-side-down valve
- Can be used on lots of substrates (asphalt, concrete, brickwork, plaster, wood, earth and many more)
- Practical lockable twist cap
- Easy-touch spraying
- No paint-stained fingers
- Outstanding bond, even on damp substrates
- Depending on the condition and colour of the substrate, 500 ml can cover up to around 200-250 m
- Reliable spraying down to -20°C
- 100% guarantee spray valve empties
- Intense, lasting luminosity (12 months)

Technical data sheet Spotmarker


	Item no	Description	Container	EAN
	201479	Spotmarker Fluo, fluorescent pink	500 ml	4 048500 201479
	201486	Spotmarker Fluo, fluorescent red	500 ml	4 048500 201486
	201493	Spotmarker Fluo, fluorescent orange	500 ml	4 048500 201493
	201509	Spotmarker Fluo, fluorescent yellow*	500 ml	4 048500 201509
	201516	Spotmarker Fluo, fluorescent green	500 ml	4 048500 201516
	201523	Spotmarker Fluo, fluorescent blue	500 ml	4 048500 201523

* Perfect for light-coloured substrates

Notes on use

Easy to apply, even when wearing gloves. The colour pigments contained are easily shaken up, even after a longer storage period. Dust-dry after 10 minutes, completely dry and ready for recoating after 24 hours. Only limited use on mineral substrates.

Tip:
Even marking sprays with a twist cap can be used with marking accessories.
See page 31




MARKER
100% emptying guarantee
100% Leersprühgarantie
Utilisation complète garantie à 100%
Nebulización completa garantía al 100%
Ga tenminste tot 100% volledig leeg
ONE CLICK
ONE CLICK
EASY
TWIST CAP
TOP
PRODUCTIVITY

SPOTMARKER
NON-FLUO

Reliable and economical

Professional construction site marking for use in structural or civil engineering works, building sites and road construction. Can also be used in tunnels and mining works.

Characteristics

- Professional, precise wall and floor markings thanks to special .special up-side-down valve
- Can be used on lots of substrates (asphalt, concrete, brickwork, plaster, wood, earth and many more)
- Practical lockable twist cap
- Easy-touch spraying
- No paint-stained fingers
- Outstanding bond, even on damp substrates
- Depending on the condition and colour of the substrate, 500 ml can cover up to around 200-250 m
- Reliable spraying down to -20°C
- 100% guarantee spray valve empties
- Intense, lasting luminosity (12 months)


Technical data sheet
Spotmarker

	Item no	Description	Container	EAN
	201554	Spotmarker non-fluo, white	500 ml	4 048500 201554
	201547	Spotmarker non-fluo, yellow	500 ml	4 048500 201547
	201530	Spotmarker non-fluo, red	500 ml	4 048500 201530
	201561	Spotmarker non-fluo, black	500 ml	4 048500 201561
	410987	Spotmarker non-fluo, purple	500 ml	4 048500 410987
	410970	Spotmarker non-fluo, brown	500 ml	4 048500 410970

Notes on use

Easy to apply, even when wearing gloves. The colour pigments contained are easily shaken up, even after a longer storage period. Dust-dry after 10 minutes, completely dry and ready for recoating after 24 hours. Only limited use on mineral substrates.

Tip:
The black marking spray can also be used as a correction spray for removing luminous markings on tar.




COLOR MARK
DIRECTION
180°
VISIBILITY
up to
6
months
SPRAY TOOL
Baumarkierfarbe
Traçeur de chantier
Marcatore da cantiere
Construction marking spray
TWIST CAP
150-200m
ONE COAT COVERAGE
EASY TWIST CAP
TOP PRODUCTIVITY

SPRAYTOOL

Spraytool – the tool for construction sites

Construction marking paint for fast, clean and precise marking and labelling of concrete, asphalt, brickwork, paving, wood, earth, stone, etc.


Characteristics

- Favourable entry-level quality with good properties for all marking work in construction, surveying and many other applications
- User-friendly twist cap (MTC - Marking Twist Cap) for fatigue-free spraying
- For professional up-side-down application
- Outstanding bond, even on damp substrates
- Depending on the condition and colour of the substrate, 500 ml can cover up to around 150-200 m
- High luminosity and opacity
- Fast drying
- Can also be used in sub-zero temperatures without any problems
- Extremely easy to shake up even after long periods of storage
- 100% guarantee spray valve empties
- Wear-resistant, water-resistant markings for up to 6 months

	Item no	Description	Container	EAN
	289835	Spraytool white	500 ml	4 048500 289835
	119590	Spraytool fluo pink	500 ml	4 048500 119590
	119606	Spraytool fluo red	500 ml	4 048500 119606
	277078	Spraytool fluo orange	500 ml	4 048500 277078
	119620	Spraytool fluo yellow	500 ml	4 048500 119620
	246333	Spraytool fluo green	500 ml	4 048500 246333
	119965	Spraytool fluo blue	500 ml	4 048500 119965

Note on use

Easy to apply, even when wearing gloves, thanks to the twist cap. The colour pigments contained are easily shaken up, even after a longer storage period. Dust-dry after 10 minutes,completely dry and ready for recoating after 24 hours..




COLOR MARK
DIRECTION almond
VISIBILITY up to 12 months
ALLROUND MARKER FLUO
100% Emptying guarantee
100% Leersprühgarantie
Utilisation complète garantie à 100%
Nebulizzazione fino al completo esaurimento garantita al 100%
TOP OCC-LUMINANCE
DIRECTION allround
ALLOWS USE IN 360°
350-400m
TOP PRODUCTIVITY

ALLROUND-MARKER FLUO

Inscription made easy

Thanks to its writing spray head with safety cap, the Allroundmarker special marking spray is perfect for precise inscriptions. The 360° valve enables spraying in all positions and directions. An outstanding marking tool for tunnel construction, electricians, municipalities, industry and for countless other applications.

Characteristics


- Professional, precise wall, ceiling and floor markings
- 360° valve for all-around marking
- Can be used on almost all substrates
- Robust one-handed safety cap
- High coverage and economical
- No paint-stained fingers
- Outstanding bond, even on damp substrates
- Depending on the condition and colour of the substrate, 500 ml can cover up to 400 m
- Reliable spraying down to -20°C
- 100% guarantee spray valve empties
- No venting of the marking spray required after use (self-cleaning valve)
- Markings remain vibrantly visible for 12 months

Technical data sheet Allroundmarker

	Item no	Description	Container	EAN
	201585	Allroundmarker Fluo, fluorescent pink	500 ml	4 048500 201585
	201615	Allroundmarker Fluo, fluorescent yellow	500 ml	4 048500 201615
	201608	Allroundmarker Fluo, fluorescent orange	500 ml	4 048500 201608
	201592	Allroundmarker Fluo, fluorescent red	500 ml	4 048500 201592
	257650	Allroundmarker Fluo, fluorescent green	500 ml	4 048500 257650
	201622	Allroundmarker Fluo, fluorescent blue	500 ml	4 048500 201622
	278280	Allroundmarker, black	500 ml	4 048500 278280

Notes on use

Easy to apply, even when wearing gloves, thanks to one-handed safety cap. The colour pigments contained are easily shaken up, even after a longer storage period. Dust-dry after 10 minutes, completely dry and ready for recoating after 24 hours.



COLOR MARK
DIRECTION
180°
VISIBILITY
easy to remove
+2
months
ECOMARKER
On an environmentally friendly chalk basis
Auf umweltfreundlicher Kreidebasis
Sur la base de la craie environnementale
Ecologico a base gesso
eco
ECOLOGICALLY FRIENDLY
TWIST CAP
EASY TWIST CAP
260m
TOP PRODUCTIVITY

ECOMARKER

Chalk-based marking

The special chalk-based formula makes the Ecomarker an especially environmentally friendly marking spray. Due to ingredients that are not harmful to plants, the marked objects are not damaged. Thanks to being chalk-based, the markings are easy to remove with water. After sustained rainfall or heavy mechanical stress, reapplication may be necessary.


Characteristics

- For short-term markings (a few days to a few weeks)
- Removable with water
- Does not damage the object being marked (for example lawns)
- Practical lockable twist cap
- High coverage and economical
- No paint-stained fingers
- Depending on the condition and colour of the substrate, 500 ml can cover up to 260 m and 750 ml up to 390 m
- Reliable spraying down to -20°C
- 100% guarantee spray valve empties
- For indoor and outdoor use
- Ingredients not harmful to plants

Technical data sheet Ecomarker

	Item no	Description	Container	EAN
	230790	Ecomarker, white	500 ml	4 048500 230790
	278242	Ecomarker, white*	750 ml	4 048500 278242
	230806	Ecomarker, fluorescent yellow	500 ml	4 048500 230806
	230813	Ecomarker, fluorescent red	500 ml	4 048500 230813
	230820	Ecomarker, fluorescent blue	500 ml	4 048500 230820
	231193	Ecomarker, fluorescent green	500 ml	4 048500 231193
	231209	Ecomarker, fluorescent orange	500 ml	4 048500 231209
	231216	Ecomarker, fluorescent pink	500 ml	4 048500 231216

* For use with the Speedliner[2] marking cart



HOW TO – **Tips for marking**

Not all lines are created equal

Roads

It always depends where the markings are made. The law is clear on this: Where markings serve to regulate and control traffic flows, such markings on the carriageway are traffic signs, and therefore an important element for road safety. Your country's regulations governing road markings should contain all the relevant information.

Construction sites

On construction sites too, routes are marked, in order to regulate traffic. The safety of people working on construction sites is paramount, but the smooth running of the building works must also be guaranteed. Durable, reliable marking sprays offer a high degree of flexibility, providing the necessary leeway for individual solutions. The COLORMARK line markers can be applied freehand, or with the aid of spraying accessories and marking carts.

Car parks

A well-organised car park leaves a good impression, even if it is not strictly necessary to apply parking markings on your own company's premises. In public spaces, the requirements of road traffic regulations and other relevant bodies must also be obeyed.

Workshops/warehouses/open spaces and industrial facilities, but also playgrounds and sports grounds

Correct markings not only minimise the risk of accidents, but also increase efficiency, because footpaths and escape routes, as well as routes for forklifts, help ensure smooth operational processes. Wherever information has to be conveyed quickly, floor markings are essential.

1 or 2 components?

Depending on requirements, you should take into account the following criteria when choosing the correct marking spray:

- Resistance to wear
- Resistance to weather
- Drying time
- Spray width
- Covering power/effectiveness






LINEMARKER

Professional marking of lines, corners and surfaces




COLOR MARK
DIRECTION
upside down
VISIBILITY
permanent
+2
years
LINEMARKER
clean – sharp lines – abrasion-proof
sauber - scharfe Kanten - abriebfest
propre - Ligne précise - résistant à l'abrasion
pulito - preciso - resistente alle abrasioni
SHARP LINES
40m
SPEEDLINER² COMPATIBLE
LIGHTFAST & WEATHERPROOF

LINEMARKER

Line and surface marking for many different uses

Highly pigmented special paint with high resistance to light and weather. The Linemarker is absolutely perfect for permanent marking works in, among other places, workshops, warehouses, open spaces and industrial facilities, but also on playgrounds and sports grounds. Wherever good wear resistance and lasting visibility are required.

Characteristics


- High-coverage, wear-resistant quality
- Only a light shake required, even after longer storage periods
- High resistance to light and weather
- Wide range of colours available, including correction colours
- Excellent dirt-repelling properties
- Quick drying times
- Clear, precise and clean markings with a minimum of spray mist
- Ideal for use with sealing varnish. The seal protects against increased wear where there are high levels of mechanical stress
- Yield with 10 cm spray width 500 ml approx. 40 m, 750 ml approx. 60 m
- Visibility of the marking (depending on the surface, location and daily load): ± 2 years

Technical data sheet Linemarker paint

Sealing varnish

	Item no	Description	Container	EAN
	201639	Linemarker white	500 ml	4 048500 201639
	201714	Linemarker, white	750 ml	4 048500 201714
	201646	Linemarker, yellow	500 ml	4 048500 201646
	201721	Linemarker, yellow	750 ml	4 048500 201721
	201653	Linemarker, red	500 ml	4 048500 201653
	201738	Linemarker, red	750 ml	4 048500 201738
	201660	Linemarker, orange	500 ml	4 048500 201660
	201677	Linemarker, green	500 ml	4 048500 201677
	201752	Linemarker, green	750 ml	4 048500 201752

	Item no	Description	Container	EAN
	201684	Linemarker, blue	500 ml	4 048500 201684
	201769	Linemarker, blue	750 ml	4 048500 201769
	201707	Linemarker, black	500 ml	4 048500 201707
	201783	Linemarker, black	750 ml	4 048500 201783
	415333	Linemarker, traffic yellow	500 ml	4 048500 415333
	346156	Linemarker, traffic yellow	750 ml	4 048500 346156
	369582	sealing varnish transparent	500 ml	4 048500 369582



Tip:
The black marking spray can also be used as correction spray on concrete or tar.



LINEMARKER

Floor marking paint for painting, rolling or airless spraying

Professional floor marking paint that can be applied with a brush or roller. The sprayer is also suitable for use. Ideal for thermoplastic markings on concrete, asphalt and paving indoors and outdoors. Creates a resistant, lacquer-like surface that can be used for medium-duty industrial markings.

Characteristics

- High coverage
- Very fast drying
- Suitable for indoor and outdoor use
- Airless sprayable
- Lacquer-like surface
- Dirt-repellend, easy to clean
- Ideal size for repair work
- Visibility of the marking (depending on the surface, location and daily load): ± 2 years



Technical data sheet floor marking paint

	Item no	Description	Container	EAN
	100375	Floor marking paint, white	750 ml	4 044965 001340
	100374	Floor marking paint, yellow	750 ml	4 044965 001333








THE
NEW SECCAP
Saves resources because
less plastic
COLOR
MARK
DIRECTION
upside
down
PROFESSIONAL
2K
super fast
LINEMARKER
2K high performance marking spray
2K Hochleistungsmarkierspray
Peinture de marquage 2C haute performance
Marcatore spray 2K ad alte prestazioni
EXTREMELY
FAST DRYING
INSIDE &
OUTSIDE
USABLE
SUPER HIGH
LIABILITY

2K LINEMARKER

2K Linemarker for professional lines

When painted lines need to meet the highest standards, this highly pigmented special paint with patented 2-component technology comes into its own. Due to the chemical drying, chemical cross-linking of the base paint and the hardener occurs, which results in hard-wearing surfaces. After drying, the markings are resistant to solvents.

Characteristics

- High-coverage quality
- Extremely wear-resistant
- Excellent resistance to light and weather
- Resistant to petrol and chemicals
- Excellent dirt-repelling properties
- Clear, precise and clean markings with a minimum of spray mist
- Long can life (24 hours)
- Quick drying times
- Wide range of colours available, including correction colours
- Ideal for use with sealing varnish
- Yield with 10 cm spray width 500 ml approx. 30 m
- Visibility of the marking (depending on the surface, location and daily load): ± 6 years

Technical data sheet
2K Linemarker


	Item no	Description	Container	EAN
	387043	2K Linemarker, white	500 ml	4 048500 387043
	387081	2K Linemarker, traffic yellow	500 ml	4 048500 387081
	387050	2K Linemarker, red	500 ml	4 048500 387050

For the 2K Linemarker products, a patented, safe to use 2-component technology is used, which satisfies professional requirements. The hardening agent is contained in a separate cartridge in the can, and is only released once activated. The base and hardener are tailored precisely to each other, and are ready for immediate use, without the need for a laborious mixing procedure. Mixing is therefore a clean process without risk to health, as there is no contact with the active ingredients.


Benefits

- Hardener tailored optimally to the product, with no quantities remaining
- Easy to use
- Benefits for occupational safety and health protection

technique:



activation:






ACCESSORIES
FOR THE PERFECT LINE


Spraying aids

The following spraying aids and marking carts are available for the different container sizes of the line marker, for the 2K line marker and the Ecomarker 750 ml.




Speedmarker short
Item no. 270161

Marking pistol for a distance range of 20–50 cm.



Speedmarker long
Item no. 270178

Perfect for lengthy marking works, without needing to bend.



Speedmarker²-Wheel
Item no. 286179


Easy, comfortable marking with line guide.
Safe rolling motion thanks to hard rubber wheels.

Marking carts

For clean, quick and economical line marking indoors and outdoors, our Speedliner² and Speedliner² AIR marking carts are available.

Characteristics

- Sturdy construction and quiet running
- Simultaneous marking with two cans possible
- For 500, 600 and 750 ml cans
- Easy handling
- Spray width setting from 4-12 cm
- Handle can be adapted for left-handed or right-handed users




Speedliner²
Item no. 262760
Precise line marking with simultaneous spraying of two COLORMARK spray cans, for double working speed.



Speedliner² AIR
Item no. 290459
The Speedliner², with pneumatic tyres so the cart runs even quieter on difficult terrain, such as grass or similar.

Marking rails

The parts are made of stainless steel, and are magnetically attached to both sides of the cart.
They serve as boundary lines during marking, enabling you to create particularly clear edges. Available in sets of two.



Marking rail 12 cm, item no 338748
Marking rail 10 cm, item no 338755
Marking rail 7.5 cm, item no 338762




ACCESSORIES
FOR MARKING ON CONSTRUCTION SITES

Spraying aids


Spraying aids for products with twist caps like Spotmarker, Spraytool and Ecomarker in 500 ml cans.

Tip:
When using the spraying aid, the twist cap must not be removed.



Marking roller
Item no 104549

Perfect for protracted marking works, without needing to bend



Marking pistol
Item no 104550

For working in close range to the object being marked



Belt holster
Item no 324772

The belt holster is ideal for carrying when you need to keep your hands free. Suitable for all COLORMARK cans.

4 048500 313790

European Aerosols GmbH | Kurt-Vogelsang-Str. 6 | 74855 Haßmersheim | Deutschland | +49 (0) 626 6 750 | info-de@european-aerosols.com
European Aerosols AG | Allmendstrasse 30 | 8320 Fehraltorf | Schweiz | +41 (44) 908 38-40 | info-ch@european-aerosols.com
www.european-aerosols.com

EA 313790 · 01-2025, ©European Aerosols · D-74855 Haßmersheim